

BRIGHT CHEM HIGH POWER LEATHER CLEANER

Page: 1

Compilation date: 09/01/2024

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: BRIGHT CHEM HIGH POWER LEATHER CLEANER

Product code: PD0949

Synonyms: PD0949

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Water based detergent

1.3. Details of the supplier of the safety data sheet

Company name: BRIGHT CHEM UNIT B8 GROVE PARK SPRINGVALE ROAD GRIMETHORPE BARNSLEY S72 7BF UK GB & NI Tel: +44(0)7958295939

Email: info@brightchem.co.uk

1.4. Emergency telephone number

Emergency tel: +44(0)7958295939 (office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318

Most important adverse effects: Causes serious eye damage.

2.2. Label elements

Label elements:

Hazard statements: H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P102: Keep out of reach of children.

BRIGHT CHEM HIGH POWER LEATHER CLEANER

P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315: Get immediate medical advice/attention.

Haz. ingredients (label): Contains: PRIMARY ALCOHOL ETHOXYLATE; DIMETHYL C12-C14 ALKYL BETAINES

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

2-BUTOXY ETHANOL - REACH registered number(s): 01-2119475108-36-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent		
203-905-0	111-76-2	-	Acute Tox. 3: H331; Acute Tox. 4: H312; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Acute Tox. 4: H302	1-10%		
PRIMARY ALCO	PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE - REACH registered number(s): 01-2119980051-45-XXXX					
-	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%		
DIMETHYL C12-C14 ALKYL BETAINES - REACH registered number(s): 01-2119529251-48-XXXX						
931-700-2	66455-29-6	-	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412	<1%		

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Page: 2

BRIGHT CHEM HIGH POWER LEATHER CLEANER

Page: 3

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

BRIGHT CHEM HIGH POWER LEATHER CLEANER

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2-BUTOXY ETHANOL

Workplace exposure limits:

Respirable dust:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	25ppm (Sk)	50ppm (Sk)	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid	
Colour:	Pink	
Odour:	Perceptible odour	
Evaporation rate:	Slow	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Miscible in all proportions	
Boiling point/range°C:	100 Melting point/range°C:	0
Flash point°C:	>93 Relative density:	1.00
pH:	9	

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

BRIGHT CHEM HIGH POWER LEATHER CLEANER

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

2-BUTOXY ETHANOL

ORL RAT LD50	1200	mg/kg
--------------	------	-------

PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE

IHL	RAT	LC50	>5	mg/l
ORL	RAT	LD50	200-2000	mg/kg
SKN	RAT	LD50	>2000	mg/kg

DIMETHYL C12-C14 ALKYL BETAINES

ORL	RAT	LD50	>2000	mg/kg
-----	-----	------	-------	-------

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe
	pain. The vision may become blurred. May cause permanent damage.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach
	pain may occur.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

BRIGHT CHEM HIGH POWER LEATHER CLEANER

	2			Pa	ge: 6
Section 12: Ecological information	ition				
12.1. Toxicity					
Hazardous ingredients:					
2-BUTOXY ETHANOL				1	
RAINBOW TROUT (Oncorhy	nchus mykiss)	96H LC50	1474	mg/l	
PRIMARY ALCOHOL ETHOX	YLATE C9-11 6 MOLE				
FISH		96H LC50	1-10	mg/l	
	L 114 -				
12.2. Persistence and degrada	bility				
Persistence and degradability:	Biodegradable.				
12.3. Bioaccumulative potentia	1				
Bioaccumulative potential:	No bioaccumulation potenti	al.			
12.4. Mobility in soil					
Mobility:	Readily absorbed into soil.				
12.5. Results of PBT and vPvB	assessment				
PBT identification:	This product is not identified	d as a PBT/vPvB substa	ance.		
12.6. Other adverse effects					
Other adverse effects:	Negligible ecotoxicity.				
Section 13: Disposal consider	ations				
13.1. Waste treatment methods	3				
Disposal operations:	Transfor to a quitable conto	incr and arrange for as	lleation by anacialized	dianaaal	
Disposal operations.	Transfer to a suitable conta	iner and arrange for co	nection by specialised	l'disposal	
Waste code number:	company. 20.01.30				
	Clean with water. Return to	supplier. Recycle conta	ainer where permitted	Disposal of	
- F F	waste containers must be d		-	-	
NB:	The user's attention is draw			-	
	regulations regarding dispo		-		
Section 14: Transport informa	tion				

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

BRIGHT CHEM HIGH POWER LEATHER CLEANER

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed.
	H312: Harmful in contact with skin.
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H331: Toxic if inhaled.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.